

DONNEES TECHNIQUES

Operating Mode	Hydraulic
for steering manufacturer	TRW
Length [mm]	530
Mounting	2 (Ø12mm)
Material	Aluminium
Fixation holes spacing [mm]	460
Pinion type	Flat pinion
Lock to lock turns	3.25
Pinion length [mm]	40
Inlet fitting	Ø10mm
Outlet fitting	Ø11mm
Type of sensor (not supplied)	Sans
supplied with	without steering rod Hydraulic pump deported

PHOTOS




DOCUMENTS

BT-110	Montage des crémaillères et pompes d'assistance
BT-132	Refus des carcasses crémaillères et pompes
BT-174	Rinçage du circuit Hydraulique

APPLICATIONS

OPEL		
SIGNUM - 1.8	122 ch	05.2003 >
	140 ch	09.2005 >
SIGNUM - 2.0 DTI	100 ch	05.2003 >
SIGNUM - 2.0 Turbo	175 ch	05.2003 >
SIGNUM - 2.2 direct	155 ch	05.2003 >
SIGNUM - 2.2 DTI	125 ch	05.2003 >
SIGNUM - 2.8	280 ch	10.2006 >
SIGNUM - 2.8 V6 Turbo	230 ch	09.2005 >
	250 ch	01.2006 >
SIGNUM - 3.0 V6 CDTI	177 ch	05.2003 >
	184 ch	09.2005 >
SIGNUM - 3.2 V6	211 ch	05.2003 >
VECTRA C - 1.6	105 ch	01.2006 >
VECTRA C - 1.6 16V	100 ch	06.2004 >
VECTRA C - 1.8	110 ch	04.2002 >
	140 ch	01.2006 >
VECTRA C - 1.8 16V	122 ch	04.2002 >
VECTRA C - 1.9 CDTI	100 ch	10.2005 >
	120 ch	04.2004 >
	150 ch	04.2004 >
VECTRA C - 2.0 16V Turbo	175 ch	03.2003 >
VECTRA C - 2.0 DTI 16V	101 ch	04.2002 >
VECTRA C - 2.2 16V	147 ch	04.2002 >
VECTRA C - 2.2 direct	155 ch	10.2003 >
VECTRA C - 2.2 DTI 16V	125 ch	04.2002 >
VECTRA C - 2.8 V6 Turbo	230 ch	08.2005 >
	250 ch	08.2006 >
	255 ch	08.2005 >
VECTRA C - 3.0 CDTI	177 ch	06.2003 >
	184 ch	08.2005 >
VECTRA C - 3.2 V6	211 ch	08.2002 >
VECTRA C Caravan - 1.6	105 ch	01.2006 >
VECTRA C Caravan - 1.6 16V	100 ch	06.2004 >
VECTRA C Caravan - 1.8	122 ch	10.2003 >
	140 ch	01.2006 >
VECTRA C Caravan - 1.9 CDTI	100 ch	10.2005 >
	120 ch	04.2004 >
	150 ch	04.2004 >
VECTRA C Caravan - 2.0 DTI	100 ch	10.2003 >
VECTRA C Caravan - 2.0 Turbo	175 ch	10.2003 >
VECTRA C Caravan - 2.2 direct	155 ch	10.2003 >
VECTRA C Caravan - 2.2 DTI	125 ch	10.2003 >
VECTRA C Caravan - 2.8 V6 Turbo	230 ch	08.2005 >
	250 ch	01.2007 >
	255 ch	08.2005 >
	280 ch	01.2007 >
VECTRA C Caravan - 3.0 V6 CDTI	177 ch	10.2003 >
	184 ch	08.2005 >

OPEL		
VECTRA C Caravan - 3.2 V6	211 ch	10.2003 >
VECTRA C GTS - 1.6	100 ch	08.2005 >
	105 ch	01.2006 >
VECTRA C GTS - 1.8	140 ch	01.2006 >
VECTRA C GTS - 1.8 16V	122 ch	08.2002 >
VECTRA C GTS - 1.9 CDTI	100 ch	10.2005 >
	120 ch	04.2004 >
	150 ch	04.2004 >
VECTRA C GTS - 2.0 16V Turbo	175 ch	03.2003 >
VECTRA C GTS - 2.0 DTI 16V	101 ch	08.2002 >
VECTRA C GTS - 2.2 16V	147 ch	08.2002 >
VECTRA C GTS - 2.2 direct	155 ch	10.2003 >
VECTRA C GTS - 2.2 DTI 16V	125 ch	08.2002 >
VECTRA C GTS - 2.8 V6 Turbo	230 ch	08.2005 >
	250 ch	08.2006 >
	255 ch	08.2005 >
	280 ch	08.2006 >
VECTRA C GTS - 3.0 CDTI	177 ch	06.2003 >
	184 ch	08.2005 >
VECTRA C GTS - 3.2 V6	211 ch	08.2002 >

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.