

## DONNEES TECHNIQUES

Compressed length [mm]	<b>585</b>
Uncompressed length [mm]	<b>625</b>
Number of splines (wheels side)	<b>25</b>
Number of Teeth, ABS ring	<b>29</b>
<b>for vehicles with ABS</b>	
ABS Ring Ø [mm]	<b>90</b>
(wheels side) shoulder Ø [mm]	<b>56</b>
ABS ring type	<b>R</b>
(wheels side) CV Joint Ø [mm]	<b>90</b>
Number of splines (gearbox side)	<b>24</b>
(gearbox side) CV Joint Ø [mm]	<b>70</b>
(gearbox side) shoulder Ø [mm]	<b>40</b>

## PHOTOS



## DOCUMENTS


- |               |  |
|---------------|--|
| <b>BT-100</b> | <b>Conseils de montage des cardans</b>   |
| <b>BT-104</b> | <b>Soufflets et Triaxes FIAT</b>         |
| <b>BT-105</b> | <b>Soufflets et Triaxes SEAT</b>         |
| <b>BT-131</b> | <b>Refus des carcasses transmissions</b> |

**APPLICATIONS**

<b>CITROËN</b>		
BX (XB-_) - 1.8 D	60 ch	10.1985 > 09.1993
BX (XB-_) - 19	95 ch	09.1986 > 11.1989
	102 ch	07.1986 > 05.1989
	105 ch	07.1986 > 05.1989
BX (XB-_) - 19 D	69 ch	03.1987 > 02.1993
BX (XB-_) - 19 E	109 ch	06.1988 > 02.1993
BX (XB-_) - 19 GTi	120 ch	06.1988 > 02.1993
	122 ch	07.1986 > 02.1993
BX (XB-_) - 19 GTi 16V	147 ch	03.1988 > 02.1993
	158 ch	09.1987 > 12.1988
BX (XB-_) - TRD Turbo	90 ch	03.1988 > 02.1993
BX Break (XB-_) - 18 D	60 ch	10.1985 > 09.1993
BX Break (XB-_) - 19	102 ch	07.1986 > 12.1994
	109 ch	06.1988 > 12.1994
	120 ch	06.1988 > 12.1994
BX Break (XB-_) - 19 D	69 ch	03.1987 > 12.1994
BX Break (XB-_) - 19 KAT	102 ch	07.1986 > 12.1994
BX Break (XB-_) - TRD Turbo	90 ch	03.1988 > 12.1994
XSARA (N1) - 1.4 HDi	68 ch	01.2003 > 03.2005
XSARA (N1) - 1.8 D	58 ch	04.1997 > 09.2000
XSARA (N1) - 1.8 i	90 ch	04.1997 > 09.2000
XSARA (N1) - 1.8 i 16V	110 ch	04.1997 > 09.2000
XSARA (N1) - 1.8 i Aut.	101 ch	04.1997 > 09.2000
XSARA (N1) - 1.8 TD	90 ch	10.1997 > 09.2000
XSARA (N1) - 1.9 D	68 ch	04.1997 > 09.2000
	70 ch	07.1998 > 03.2005
XSARA (N1) - 1.9 SD	75 ch	01.1998 > 09.2000
XSARA Break (N2) - 1.4 HDi	68 ch	01.2003 > 08.2005
XSARA Break (N2) - 1.8 D	58 ch	10.1997 > 09.2000
XSARA Break (N2) - 1.8 i	90 ch	10.1997 > 09.2000
XSARA Break (N2) - 1.8 i 16V	110 ch	10.1997 > 09.2000
XSARA Break (N2) - 1.8 i Aut.	101 ch	10.1997 > 09.2000
XSARA Break (N2) - 1.9 D	68 ch	10.1997 > 09.2000
	70 ch	07.1998 > 08.2005
	75 ch	01.1998 > 09.2000
XSARA Coupe (N0) - 1.4 HDi	68 ch	01.2003 > 03.2005
XSARA Coupe (N0) - 1.8 i	90 ch	02.1998 > 09.2000
	101 ch	02.1998 > 09.2000
XSARA Coupe (N0) - 1.8 i 16V	110 ch	02.1998 > 09.2000
XSARA Coupe (N0) - 1.9 D	68 ch	02.1998 > 09.2000
	70 ch	02.1999 > 03.2005
ZX (N2) - 1.6 i	88 ch	03.1991 > 06.1997
ZX (N2) - 1.8 i	101 ch	07.1992 > 06.1997
ZX (N2) - 1.8 i 16V	110 ch	01.1996 > 06.1997
ZX (N2) - 1.9 i	120 ch	03.1991 > 06.1997
ZX (N2) - 2.0 i	121 ch	07.1992 > 06.1997
ZX Break (N2) - 1.6 i	88 ch	10.1993 > 10.1997
ZX Break (N2) - 1.8 i	101 ch	10.1993 > 10.1997

## CITROËN

ZX Break (N2) - 1.8 i 16V	110 ch	01.1996 > 02.1998
---------------------------	--------	-------------------

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.