


## DONNEES TECHNIQUES

Length [mm]	<b>1065</b>
Number of splines (wheels side)	<b>28</b>
	<b>for vehicles without ABS</b>
(wheels side) CV Joint Ø [mm]	<b>100</b>
Number of splines (gearbox side)	<b>25</b>
(gearbox side) CV Joint Ø [mm]	<b>100</b>

## PHOTOS



## DOCUMENTS


- BT-100** Conseils de montage des cardans
- BT-104** Soufflets et Triaxes FIAT
- BT-105** Soufflets et Triaxes SEAT
- BT-131** Refus des carcasses transmissions

## APPLICATIONS

<b>CITROËN</b>		
C25 (280_, 290_) Bus - 1.8 E	69 ch	08.1987 > 02.1994
C25 (280_, 290_) Bus - 2.0	84 ch	02.1991 > 02.1994
C25 (280_, 290_) Bus - 2.0 E	79 ch	08.1987 > 02.1994
C25 (280_, 290_) Bus - 2.5 D	73 ch	08.1987 > 02.1994
C25 (280_, 290_) Bus - 2.5 D 4x4	73 ch	01.1987 > 02.1994
C25 (280_, 290_) Bus - 2.5 D Turbo	95 ch	08.1987 > 02.1994
C25 (280_, 290_) Bus - 2.5 D Turbo 4x4	95 ch	08.1987 > 02.1994
C25 (280_, 290_) Camionnette - 2.0	84 ch	02.1991 > 03.1994
C25 (280_, 290_) Camionnette - 2.0 E	79 ch	08.1987 > 03.1994
C25 (280_, 290_) Plateau - 2.0	84 ch	02.1991 > 03.1994

<b>FIAT</b>		
DUCATO (81-90) Camionnette (280) - 1.8	67 ch	08.1987 > 10.1988
DUCATO (81-90) Camionnette (280) - 2.0	75 ch	08.1987 > 08.1990
	79 ch	08.1987 > 08.1990
	84 ch	08.1987 > 08.1990
DUCATO (81-90) Camionnette (280) - 2.5 D	75 ch	08.1987 > 08.1990
DUCATO (81-90) Camionnette (280) - 2.5 D 4x4	75 ch	03.1989 > 08.1990
DUCATO (81-90) Panorama (280) - 2.0	75 ch	08.1987 > 08.1990
	84 ch	08.1987 > 08.1990
DUCATO (81-90) Panorama (280) - 2.4 TD	92 ch	01.1987 > 08.1990
DUCATO (81-90) Panorama (280) - 2.4 TD 4x4	92 ch	01.1986 > 08.1990
DUCATO (81-90) Panorama (280) - 2.5 D	75 ch	08.1987 > 08.1990
DUCATO (81-90) Panorama (280) - 2.5 D 4x4	75 ch	01.1987 > 08.1990
DUCATO (81-90) Plateau (280) - 2.0	75 ch	08.1987 > 08.1990
	84 ch	08.1987 > 08.1990
DUCATO (81-90) Plateau (280) - 2.4 TD	92 ch	01.1986 > 08.1990
DUCATO (81-90) Plateau (280) - 2.5 D	75 ch	08.1987 > 08.1990
DUCATO (81-90) Plateau (280) - 2.5 D 4x4	75 ch	03.1989 > 08.1990
DUCATO (90-94) Camionnette (290) - 2.5 D 4x4	75 ch	07.1990 > 03.1994
DUCATO (90-94) Camionnette (290) - 2.5 TD	95 ch	07.1990 > 03.1994
DUCATO (90-94) Camionnette (290) - 2.5 TD 4x4	95 ch	07.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.0	84 ch	07.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.5 D	75 ch	07.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.5 D 4x4	75 ch	07.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.5 TD	95 ch	08.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.5 TD 4x4	95 ch	01.1991 > 03.1994
DUCATO (90-94) Plateau (290) - 2.0	84 ch	08.1987 > 03.1994
DUCATO (90-94) Plateau (290) - 2.5 D	75 ch	07.1990 > 03.1994
DUCATO (90-94) Plateau (290) - 2.5 D 4x4	75 ch	07.1990 > 03.1994
DUCATO (90-94) Plateau (290) - 2.5 TD	95 ch	07.1990 > 03.1994
DUCATO (90-94) Plateau (290) - 2.5 TD 4x4	95 ch	07.1990 > 03.1994
TALENTO Bus (290) - 2.0 (290UEH4)	75 ch	03.1989 > 03.1994
TALENTO Camionnette (290) - 2.0 (290U4)	75 ch	03.1989 > 03.1994
TALENTO plateau (290) - 2.0 (290UA4)	75 ch	03.1989 > 03.1994
<b>PEUGEOT</b>		
J5 Bus (280P) - 2.0	75 ch	08.1987 > 09.1990
	79 ch	08.1987 > 09.1990
J5 Bus (280P) - 2.5 D	73 ch	08.1987 > 09.1990
J5 Bus (290P) - 1.9 D	70 ch	10.1990 >
J5 Bus (290P) - 2.0	84 ch	10.1990 >
J5 Bus (290P) - 2.5 D	73 ch	10.1990 >
J5 Bus (290P) - 2.5 D 4x4	73 ch	10.1990 >
J5 Bus (290P) - 2.5 TD	95 ch	10.1990 >
J5 Bus (290P) - 2.5 TD 4x4	95 ch	10.1990 >
J5 Camionnette (280L) - 1.8	69 ch	08.1987 > 11.1988
J5 Camionnette (290L) - 1.9 D	70 ch	10.1990 >
J5 Camionnette (290L) - 2.5 D 4x4	73 ch	10.1990 >
J5 Camionnette (290L) - 2.5 TD 4x4	95 ch	10.1990 >
J5 plateau (280L) - 2.0	75 ch	08.1987 > 11.1988
	79 ch	08.1987 > 11.1988

<b>PEUGEOT</b>		
J5 plateau (280L) - 2.5 D	73 ch	08.1987 > 09.1990
J5 plateau (290L) - 1.9 D	70 ch	10.1990 >
J5 plateau (290L) - 2.0	84 ch	10.1990 >
J5 plateau (290L) - 2.5 D	73 ch	10.1990 >
J5 plateau (290L) - 2.5 D 4x4	73 ch	10.1990 >
J5 plateau (290L) - 2.5 TD	95 ch	10.1990 >
J5 plateau (290L) - 2.5 TD 4x4	95 ch	10.1990 >

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.