

DONNEES TECHNIQUES

| | |
|----------------------------------|---------------------------------|
| Compressed length [mm] | 620 |
| Uncompressed length [mm] | 640 |
| Number of splines (wheels side) | 25 |
| | for vehicles without ABS |
| Thread (wheels side) | 24X150 |
| (wheels side) shoulder Ø [mm] | 59 |
| (wheels side) CV Joint Ø [mm] | 90 |
| Number of splines (gearbox side) | 24 |
| (gearbox side) CV Joint Ø [mm] | 80 |
| (gearbox side) shoulder Ø [mm] | 40 |

PHOTOS




DOCUMENTS

| | |
|---------------|--|
| BT-100 | Conseils de montage des cardans |
| BT-104 | Soufflets et Triaxes FIAT |
| BT-105 | Soufflets et Triaxes SEAT |
| BT-131 | Refus des carcasses transmissions |

APPLICATIONS

| CITROËN | | |
|--------------------------------------|--------------------------------------|--|
| C3 (09-16) (SC_) - 1.6 HDi 110 | 112 ch | 11.2009 > |
| C3 (09-16) (SC_) - 1.6 HDi 115 | 114 ch | 09.2012 > |
| C3 (2009-) Picasso - 1.6 | 120 ch | 02.2009 > |
| C3 (2009-) Picasso - 1.6 HDi 90 | 92 ch | 07.2010 > |
| C3 (2009-) Picasso - 1.6 HDi 110 | 112 ch | 05.2010 > |
| C4 (2010-) (B7) - 1.6 16V | 156 ch | 11.2009 > |
| C4 (2010-) (B7) - 1.6 HDi 110 | 112 ch | 11.2009 > |
| DS3 (2010-) - 1.6 16V | 156 ch | 04.2010 > |
| DS3 (2010-) - 1.6 HDi 90 | 92 ch | 11.2009 > |
| DS3 (2010-) - 1.6 HDi 110 | 112 ch | 11.2009 > |
| DS3 (2010-) - 1.6 Racing | 203 ch 207 ch | 02.2011 > 02.2011 > |
| DS4 (2011-) - 1.6 e-HDi | 110 ch | 04.2011 > |
| DS4 (2011-) - 1.6 HDi 90 | 92 ch | 05.2011 > |
| DS4 (2011-) - 1.6 HDi 110 | 112 ch | 04.2011 > |
| DS4 (2011-) - 1.6 THP 155 | 156 ch | 04.2011 > |
| PEUGEOT | | |
| 207 (WA_, WC_) - 1.6 HDi | 112 ch | 08.2009 > |
| 207 CC (WD_) - 1.6 16V | 120 ch | 02.2007 > |
| 207 CC (WD_) - 1.6 16V Turbo | 156 ch | 10.2009 > |
| 207 CC (WD_) - 1.6 HDi | 112 ch | 08.2009 > |
| 207 SW Break (WK_) - 1.6 HDi | 112 ch | 08.2009 > |
| 208 - 1.6 | 156 ch | 03.2012 > |
| 308 (08-13) (4A_, 4C_) - 1.6 16V | 150 ch 174 ch 156 ch | 09.2007 > 03.2008 > 10.2009 > |
| 308 (08-13) (4A_, 4C_) - 1.6 HDi 109 | 109 ch | 09.2007 > |
| 308 (08-13) (4A_, 4C_) - 1.6 HDi 112 | 112 ch | 12.2009 > |
| 308 (09-13) CC - 1.6 16V | 120 ch 140 ch 150 ch 156 ch | 06.2009 > 06.2009 > 06.2009 > 06.2009 > |
| 308 (09-13) CC - 1.6 HDi | 112 ch | 06.2009 > |
| 308 (09-13) CC - 1.6 THP | 200 ch | 10.2010 > |
| 308 (09-13) CC - 2.0 HDi | 136 ch 140 ch 163 ch | 04.2009 > 04.2009 > 06.2009 > |
| 308 (08-13) SW - 1.6 16V | 150 ch 174 ch 156 ch | 09.2007 > 03.2008 > 10.2009 > |
| 308 (08-13) SW - 1.6 Bioflex | 112 ch | 03.2009 > |
| 308 (08-13) SW - 2.0 HDi | 163 ch | 06.2009 > |
| 2008 - 1.6 HDi | 92 ch 114 ch | 03.2013 > 03.2013 > |
| 3008 - 1.6 HDi | 109 ch 112 ch | 06.2009 > 08.2010 > |
| 3008 - 1.6 THP | 150 ch | 06.2009 > |

| PEUGEOT | | |
|------------------------|--------|-----------|
| (suite) 3008 - 1.6 THP | 156 ch | 06.2009 > |
| 3008 - 2.0 HDi | 150 ch | 06.2009 > |
| | 165 ch | 06.2009 > |
| 5008 - 1.6 16V | 156 ch | 09.2009 > |
| 5008 - 1.6 HDi | 110 ch | 09.2009 > |
| | 112 ch | 08.2010 > |

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.