


DONNEES TECHNIQUES

Vehicle Main Current	for vehicles with 12V main current
Rated Power [kW]	1.5
Number of Teeth	11/12T
Rotation Direction	Clockwise rotation
Plug Type ID	SOL78

PHOTOS



DOCUMENTS


BT-130 Refus des carcasses alternateurs/demurrers

APPLICATIONS

CITROËN		
C1 (PM_, PN_) - 1.4 HDi	54 ch	06.2005 >
C2 (JM_) - 1.4 HDi	68 ch	09.2003 >
C3 (02-10) (FC_) - 1.4 16V HDi	90 ch	02.2002 > 10.2005
C3 (02-10) (FC_) - 1.4 HDi	68 ch	02.2002 >
C3 (02-10) (FC_) - 1.6 16V HDi 90	90 ch	10.2005 >
C3 (02-10) (FC_) - 1.6 16V HDi 110	109 ch	09.2005 >
C3 (03-10) Pluriel (HB_) - 1.4 HDi	68 ch	04.2004 >
C4 (2004-) (LC_) - 1.6 HDi	90 ch	11.2004 >
	109 ch	11.2004 >
C4 (2004-) Coupe (LA_) - 1.6 HDi	90 ch	11.2004 >
	109 ch	11.2004 >
C4 (06-13) Grand Picasso (UA_) - 1.6 HDi	109 ch	10.2006 >
C4 (06-13) Picasso (UD_) - 1.6 HDi	109 ch	02.2007 >
C5 (04-08) (RC_) - 1.6 HDi (RC8HZB)	109 ch	09.2004 > 03.2008
C5 (04-08) (RC_) - 2.2 HDi	170 ch	04.2006 > 03.2008
C5 (04-08) Break (RE_) - 1.6 HDi (RE8HZB)	109 ch	09.2004 > 03.2008
C5 (04-08) Break (RE_) - 2.2 HDi	170 ch	04.2006 > 03.2008
XSARA PICASSO (N68) - 1.6 HDi	109 ch	05.2004 >
PEUGEOT		
107 - 1.4 HDi	54 ch	06.2005 >
206 3/5 portes (2A/C, T3E) - 1.4 HDi eco 70	68 ch	09.2001 >
206 SW (2E/K) - 1.4 HDi	68 ch	07.2002 >
207 (WA_, WC_) - 1.4 HDi	68 ch	02.2006 >
207 (WA_, WC_) - 1.6 HDi	90 ch	02.2006 >
	109 ch	02.2006 >
207 CC (WD_) - 1.6 HDi	109 ch	02.2007 >
207 SW Break (WK_) - 1.6 HDi	90 ch	06.2007 >
	109 ch	06.2007 >
307 (3A/C) - 1.6 HDi 110	109 ch	02.2004 > 06.2005
307 Break (3E) - 1.6 HDi 110	109 ch	02.2004 > 06.2005
307 SW (3H) - 1.6 HDi 110	109 ch	02.2004 > 06.2005
308 (08-13) (4A_, 4C_) - 1.6 HDi 109	109 ch	09.2007 >
407 (6D_) - 1.6 HDi 110	109 ch	05.2004 >
407 SW (6E_) - 1.6 HDi 110	109 ch	05.2004 >
1007 (KM_) - 1.4 HDi	68 ch	04.2005 >
1007 (KM_) - 1.6 HDi	109 ch	06.2007 >

SUZUKI		
LIANA (ER) - 1.4 DDiS	90 ch	03.2005 >
LIANA Break (ER) - 1.4 DDiS	90 ch	03.2005 >

TOYOTA		
AYGO (B10) - 1.4 HDi	54 ch	07.2005 >

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.