


DONNEES TECHNIQUES

Vehicle Main Current	for vehicles with 12V main current
Rated Power [kW]	0.8
Number of Teeth	9T
Rotation Direction	Clockwise rotation
Number of Thread Bores	2
Number of mounting bores	2
Plug Type ID	SOL60

PHOTOS



DOCUMENTS

BT-130 Refus des carcasses alternateurs/démarrleurs


APPLICATIONS

CITROËN		
C25 (280_, 290_) Bus - 1.8 E	69 ch	07.1987 > 02.1994
C25 (280_, 290_) Bus - 2.0	84 ch	02.1991 > 02.1994
C25 (280_, 290_) Bus - 2.0 E	79 ch	09.1981 > 02.1994
C25 (280_, 290_) Camionnette - 2.0	84 ch	02.1991 > 03.1994
C25 (280_, 290_) Camionnette - 2.0 E	79 ch	09.1981 > 03.1994
C25 (280_, 290_) Plateau - 2.0	84 ch	01.1987 > 03.1994

FIAT		
DUCATO (81-90) Camionnette (280) - 1.8	67 ch	01.1982 > 10.1988
DUCATO (81-90) Camionnette (280) - 2.0	75 ch	07.1985 > 08.1990
	79 ch	01.1982 > 08.1990
	84 ch	03.1989 > 08.1990
DUCATO (81-90) Panorama (280) - 1.8	67 ch	07.1982 > 12.1988
DUCATO (81-90) Panorama (280) - 2.0	75 ch	01.1986 > 08.1990
	79 ch	07.1982 > 05.1985
	84 ch	09.1988 > 08.1990
DUCATO (81-90) Plateau (280) - 2.0	75 ch	07.1985 > 08.1990
	84 ch	08.1988 > 08.1990
DUCATO (90-94) Camionnette (290) - 2.0 4x4	86 ch	06.1990 > 05.1994
DUCATO (90-94) Panorama (290) - 2.0	84 ch	07.1990 > 03.1994
DUCATO (90-94) Panorama (290) - 2.0 4x4	86 ch	06.1990 > 05.1994
DUCATO (90-94) Plateau (290) - 2.0	84 ch	07.1990 > 03.1994
DUCATO (90-94) Plateau (290) - 2.0 4x4	86 ch	06.1990 > 05.1994
TALENTO Bus (290) - 2.0 (290UEH4)	75 ch	03.1989 > 03.1994
TALENTO Camionnette (290) - 2.0 (290U4)	75 ch	03.1989 > 03.1994
TALENTO plateau (290) - 2.0 (290UA4)	75 ch	03.1989 > 03.1994

PEUGEOT		
404 - 1.6	65 ch	04.1963 > 12.1971
	73 ch	11.1967 > 12.1971
404 - 1.6 GT	68 ch	07.1971 > 12.1971
404 Cabriolet - 1.6	80 ch	04.1963 > 12.1968
504 (A_, M_) - 1.8 (A01, A03)	82 ch	07.1968 > 02.1971
504 (A_, M_) - 1.8 (M03)	79 ch	01.1971 > 06.1983
504 (A_, M_) - 2.0 (A1, A13, MY1, MY3)	97 ch	03.1971 > 06.1986
504 (A_, M_) - 2.0 TI (A12, A14)	106 ch	01.1971 > 06.1983
504 Break (D_, F_) - 1.8 (F01, E01)	73 ch	04.1971 > 07.1986
504 Break (D_, F_) - 2.0 (D11, F11)	92 ch	04.1971 > 07.1986
504 Cabriolet - 2.0	102 ch	10.1974 > 08.1982
	106 ch	08.1982 > 08.1984
504 Coupe - 2.0	102 ch	10.1974 > 08.1982
	106 ch	08.1982 > 08.1984
504 Coupe - 2.7	144 ch	10.1977 > 08.1984
504 Pick-up (E_) - 1.6	63 ch	01.1980 > 06.1987
504 Pick-up (E_) - 1.8	72 ch	07.1987 > 12.1989
	75 ch	08.1981 > 10.1986
505 (551A) - 1.8	75 ch	06.1981 > 10.1985
	82 ch	01.1982 > 10.1985
	84 ch	09.1985 > 10.1986
505 (551A) - 2.0	97 ch	11.1980 > 12.1985
	98 ch	09.1985 > 09.1991
	107 ch	09.1980 > 11.1982
505 Break (551D) - 2.0	82 ch	04.1982 > 11.1987
	94 ch	08.1983 > 12.1985
	98 ch	09.1985 > 11.1987
604 (561A_) - 2.0	95 ch	03.1983 > 02.1987
J5 Bus (280P) - 2.0	75 ch	09.1981 > 09.1990
	79 ch	01.1983 > 09.1990

PEUGEOT		
J5 Bus (290P) - 2.0	84 ch	10.1990 >
J5 Camionnette (280L) - 1.8	69 ch	01.1983 > 11.1988
J5 plateau (280L) - 2.0	75 ch	01.1986 > 11.1988
	79 ch	01.1983 > 11.1988
J5 plateau (290L) - 2.0	84 ch	10.1990 >
TALBOT		
EXPRESS 1000 -1500 Bus - 1.8	69 ch	07.1983 > 10.1990
EXPRESS 1000 -1500 Bus - 2.0	78 ch	07.1982 > 10.1990
EXPRESS 1000 -1500 plateau - 2.0	78 ch	07.1982 > 10.1994
EXPRESS 1000 -1800 Camionnette - 1.8	69 ch	07.1981 > 10.1990
EXPRESS 1000 -1800 Camionnette - 2.0	78 ch	07.1982 > 10.1990

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.