


## DONNEES TECHNIQUES

Vehicle Main Current	<b>for vehicles with 12V main current</b>
Rated Power [kW]	<b>1.8</b>
Number of Teeth	<b>9/10T</b>
Rotation Direction	<b>Clockwise rotation</b>
G/R Reducer	<b>With integrated G/R reducer</b>
Number of Thread Bores	<b>2</b>
Number of mounting bores	<b>2</b>
Plug Type ID	<b>SOL60</b>
	<b>exists version Valeo D7R (short) 020737</b>


## PHOTOS



### BULLETIN TECHNIQUE TB-05

Ce démarreur n'utilise pas de bobinage en cuivre ou en aluminium, mais utilise des aimants ferreux permanents. Si vous traitez ce démarreur brutalement (chute ou coup de marteau sur le démarreur ou le solénoïde), les aimants se fissureront ou casseront. Ceci entraînant la destruction du démarreur.

This starter doesn't use field coils made from copper or aluminium, but uses ferrite permanent magnets. If you treat this starter roughly (e.g. drop or hit on the starter motor or solenoid with a hammer) the magnets will crack or break. Causing the starter to fail.




## DOCUMENTS

**BT-130 Refus des carcasses alternateurs/démarreurs**

**APPLICATIONS**

<b>AUDI</b>		
80 (1986-91) (89, 89Q, 8A, B3) - 1.6 D	54 ch	09.1986 > 08.1991
80 (1991-96) (8C, B4) - 1.9 TD	75 ch	09.1991 > 12.1994
80 (1991-96) (8C, B4) - 1.9 TDI	90 ch	09.1991 > 12.1994
80 (1991-96) Avant (8C, B4) - 1.9 TD	75 ch	09.1991 > 12.1994
80 (1991-96) Avant (8C, B4) - 1.9 TDI	90 ch	07.1992 > 01.1996
A4 (94-01) (8D2, B5) - 1.9 Di	75 ch	12.1995 > 11.2000
A4 (94-01) (8D2, B5) - 1.9 TDI	90 ch	01.1995 > 11.2000
	110 ch	10.1995 > 11.2000
	116 ch	03.2000 > 11.2000
A4 (94-01) (8D2, B5) - 1.9 TDI quattro	110 ch	09.1996 > 11.2000
	116 ch	03.2000 > 11.2000
A4 (94-01) Avant (8D5, B5) - 1.9 Di	75 ch	03.1996 > 09.2001
A4 (94-01) Avant (8D5, B5) - 1.9 TDI	90 ch	02.1996 > 09.2001
	110 ch	02.1996 > 09.2001
	115 ch	03.2000 > 09.2001
A4 (94-01) Avant (8D5, B5) - 1.9 TDI quattro	110 ch	09.1996 > 09.2001
	115 ch	03.2000 > 09.2001
A4 (01-05) (8E2, B6) - 1.9 TDI	101 ch	05.2001 > 12.2004
	116 ch	06.2004 > 12.2004
	130 ch	11.2000 > 12.2004
A4 (01-05) (8E2, B6) - 3.0	220 ch	11.2000 > 12.2004
A4 (01-05) (8E2, B6) - 3.0 quattro	220 ch	11.2000 > 12.2004
A4 (01-05) Avant (8E5, B6) - 1.9 TDI	101 ch	11.2001 > 12.2004
	116 ch	06.2004 > 12.2004
A4 (01-05) Avant (8E5, B6) - 3.0	220 ch	09.2001 > 12.2004
A4 (01-05) Avant (8E5, B6) - 3.0 quattro	220 ch	09.2001 > 12.2004
A4 (05-08) (8EC) - 1.9 TDI	116 ch	11.2004 >
A4 (05-08) Avant (8ED) - 1.9 TDI	116 ch	11.2004 >
A4 (05-08) Cabriolet (8H7, 8HE) - 3.0	220 ch	04.2002 > 12.2005
A6 (94-97) (4A, C4) - 1.9 TDI	90 ch	06.1994 > 10.1997
A6 (94-97) Avant (4A, C4) - 1.9 TDI	90 ch	06.1994 > 12.1997
A6 (97-04) (4B, C5) - 1.9 TDI	110 ch	04.1997 > 10.2000
	115 ch	07.2000 > 01.2005
	130 ch	08.2001 > 01.2005
A6 (97-04) Avant (4B, C5) - 1.9 TDI	110 ch	02.1998 > 04.2001
	115 ch	07.2000 > 01.2005
	130 ch	08.2001 > 01.2005
CABRIOLET (8G7, B4) - 1.9 TDI	90 ch	06.1995 > 08.2000

<b>SKODA</b>		
SUPERB (01-08) (3U4) - 1.9 TDI	101 ch	08.2002 >
	105 ch	10.2005 >
	115 ch	01.2007 >
	130 ch	02.2002 >
<b>VOLKSWAGEN</b>		
PASSAT (88-96) (3A2, 35I) - 1.9 TDI	110 ch	03.1996 > 08.1996
PASSAT (88-97) Variant (3A5, 35I) - 1.9 TDI	110 ch	03.1996 > 05.1997
PASSAT (96-00) (3B2) - 1.9 TDI	90 ch	10.1996 > 11.2000
	101 ch	02.2000 > 11.2000
	110 ch	10.1996 > 11.2000
	115 ch	08.1998 > 11.2000
PASSAT (96-00) (3B2) - 1.9 TDI 4motion	115 ch	08.1999 > 11.2000
PASSAT (96-00) (3B2) - 1.9 TDI Syncro/4motion	110 ch	10.1996 > 11.2000
PASSAT (96-00) Variant (3B5) - 1.9 TDI	90 ch	06.1997 > 11.2000
	101 ch	02.2000 > 11.2000
	110 ch	06.1997 > 11.2000
	115 ch	08.1998 > 11.2000
PASSAT (96-00) Variant (3B5) - 1.9 TDI 4motion	115 ch	08.1999 > 11.2000
PASSAT (96-00) Variant (3B5) - 1.9 TDI Syncro/4motion	110 ch	06.1997 > 11.2000
PASSAT (00-05) (3B3) - 1.9 TDI	101 ch	11.2000 > 05.2005
	130 ch	11.2000 > 05.2005
PASSAT (00-05) Variant (3B6) - 1.9 TDI	101 ch	11.2000 > 05.2005
	130 ch	11.2000 > 05.2005

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.