

## DONNEES TECHNIQUES

Vehicle Main Current	<b>for vehicles with 12V main current</b>
Rated Power [kW]	<b>1.1</b>
Number of Teeth	<b>9T</b>
Rotation Direction	<b>Anti-clockwise rotation</b>
G/R Reducer	<b>With integrated G/R reducer</b>
Number of mounting bores	<b>3</b>
Plug Type ID	<b>SOL05</b>

## PHOTOS




### BULLETIN TECHNIQUE TB-03

**ATTENTION!**

Avant de monter ce démarreur, veuillez D'ABORD monter la nouvelle bague dans le bloc moteur.

**ATTENTION!**


Before installing this startermotor, FIRST fit the new bushing in the motor housing.



### BULLETIN TECHNIQUE TB-05

Ce démarreur n'utilise pas de bobinage en cuivre ou en aluminium, mais utilise des aimants ferreux permanents. Si vous traitez ce démarreur brutalement (chute ou coup de marteau sur le démarreur ou le solénoïde), les aimants se fissureront ou casseront. Ceci entraînant la destruction du démarreur.

This starter doesn't use field coils made from copper or aluminium, but uses ferrite permanent magnets. If you treat this starter roughlyly (e.g. drop or hit on the starter motor or solenoid with a hammer) the magnets will crack or break. Causing the starter to fail.



## DOCUMENTS


**BT-130 Refus des carcasses alternateurs/démarreurs**

**APPLICATIONS**

<b>AUDI</b>		
A3 (96-03) (8L1) - 1.6	101 ch	09.1996 > 08.2000
A3 (96-03) (8L1) - 1.8	125 ch	09.1996 >
A3 (96-03) (8L1) - 1.8 T	150 ch	12.1996 >
A3 (96-03) (8L1) - 1.8 T quattro	150 ch	12.1996 >
<b>FORD</b>		
GALAXY (95-00) (WGR) - 1.9 TDI	90 ch	03.1995 > 04.2000
GALAXY (95-00) (WGR) - 2.0 i	116 ch	11.1995 > 04.2000
<b>SEAT</b>		
ALHAMBRA (7V8, 7V9) - 1.8 T 20V	150 ch	10.1997 >
ALHAMBRA (7V8, 7V9) - 2.0 i	115 ch	04.1996 >
CORDOBA (93-99) (6K2/C2) - 1.4 i	60 ch	06.1994 > 06.1999
CORDOBA (93-99) (6K2/C2) - 1.6 i	75 ch	05.1994 > 06.1999
	101 ch	07.1996 > 06.1999
CORDOBA (93-99) (6K2/C2) - 1.8 i	90 ch	02.1993 > 06.1999
CORDOBA (93-99) (6K2/C2) - 1.8 i 16V	129 ch	10.1993 > 08.1996
CORDOBA (93-99) (6K2/C2) - 2.0 i	115 ch	02.1993 > 06.1999
CORDOBA (96-02) Vario (6K5) - 1.6 i	101 ch	09.1996 > 06.1999
IBIZA (93-99) (6K1) - 1.6 i	75 ch	09.1994 > 06.1999
	101 ch	04.1996 > 08.1999
IBIZA (93-99) (6K1) - 1.8 i	90 ch	03.1993 > 08.1999
IBIZA (93-99) (6K1) - 1.8 i 16V	129 ch	11.1993 > 08.1996
IBIZA (93-99) (6K1) - 2.0 i	115 ch	03.1993 > 08.1999
INCA (6K9) - 1.6 i	75 ch	11.1995 > 05.1998
TOLEDO (91-99) (1L) - 1.6 i	71 ch	05.1991 > 12.1993
	73 ch	05.1991 > 03.1999
	75 ch	01.1993 > 03.1999
	101 ch	11.1996 > 03.1999
TOLEDO (91-99) (1L) - 1.8 16V	125 ch	05.1991 > 03.1999
	133 ch	05.1991 > 03.1999
TOLEDO (91-99) (1L) - 1.8 i	88 ch	05.1991 > 12.1996
	90 ch	11.1993 > 12.1996
TOLEDO (91-99) (1L) - 2.0 i	115 ch	05.1991 > 03.1999

<b>SKODA</b>		
OCTAVIA (96-10) (1U2) - 1.6	75 ch	09.1996 > 09.2000
	101 ch	02.1997 >
OCTAVIA (96-10) Combi (1U5) - 1.6	75 ch	07.1998 >
	101 ch	07.1998 >
<b>VOLKSWAGEN</b>		
CORRADO (53I) - 1.8 16V	136 ch	04.1989 > 07.1992
CORRADO (53I) - 1.8 G60	160 ch	09.1988 > 09.1993
CORRADO (53I) - 2.0 i	115 ch	04.1993 > 12.1995
CORRADO (53I) - 2.0 i 16V	136 ch	08.1991 > 12.1995
FLIGHT 3 volumes (6KV2) - 75 1.6	75 ch	11.1995 > 09.1997
FLIGHT 3 volumes (6KV2) - 100 1.6	100 ch	12.1995 > 09.2001
GOLF (74-83) Cabriolet (155) - 1.6	75 ch	08.1983 > 04.1992
GOLF (83-92) (19E, 1G1) - 1.6	69 ch	08.1986 > 07.1991
	72 ch	02.1986 > 10.1991
	75 ch	08.1983 > 07.1992
GOLF (91-99) (1H1) - 1.4	55 ch	11.1991 > 08.1997
	60 ch	10.1991 > 08.1997
GOLF (91-99) (1H1) - 1.6	75 ch	09.1992 > 08.1997
	101 ch	07.1995 > 08.1997
GOLF (91-99) (1H1) - 1.8	75 ch	11.1991 > 08.1997
	90 ch	11.1991 > 08.1997
GOLF (91-99) (1H1) - 2.0	115 ch	11.1991 > 08.1997
	116 ch	08.1991 > 09.1997
GOLF (91-99) (1H1) - 2.0 GTI 16V	150 ch	08.1992 > 08.1997
GOLF (91-99) Cabriolet (1E7) - 1.6	101 ch	10.1994 > 05.1998
GOLF (91-99) Cabriolet (1E7) - 1.8	75 ch	07.1993 > 05.1998
	90 ch	07.1993 > 05.1998
GOLF (91-99) Cabriolet (1E7) - 2.0	115 ch	07.1993 > 05.1998
GOLF (91-99) Break (1H5) - 1.4	55 ch	07.1993 > 04.1999
	60 ch	07.1993 > 04.1999
GOLF (91-99) Break (1H5) - 1.6	75 ch	07.1993 > 12.1997
	101 ch	07.1994 > 04.1999
GOLF (91-99) Break (1H5) - 1.8	75 ch	07.1993 > 04.1999
	90 ch	07.1993 > 04.1999
GOLF (91-99) Break (1H5) - 2.0	115 ch	07.1993 > 04.1999
GOLF (97-05) (1J1) - 1.4 16V	75 ch	08.1997 > 06.2005
GOLF (97-05) (1J1) - 1.6	100 ch	08.1997 > 02.2000
GOLF (99-05) Break (1J5) - 1.4 16V	75 ch	05.1999 >
GOLF (99-05) Break (1J5) - 1.6	101 ch	05.1999 > 02.2000
JETTA (84-92) (A2, 1G2) - 1.6	70 ch	10.1986 > 10.1991
	72 ch	03.1986 > 10.1991
	75 ch	01.1984 > 07.1992
PASSAT (88-96) (3A2, 35I) - 1.6	101 ch	10.1994 > 08.1996
PASSAT (88-96) (3A2, 35I) - 1.8	90 ch	02.1988 > 08.1996
PASSAT (88-96) (3A2, 35I) - 2.0	107 ch	03.1995 > 08.1996
	115 ch	02.1990 > 08.1996
	116 ch	10.1993 > 10.1996
PASSAT (88-97) Variant (3A5, 35I) - 1.6	101 ch	07.1994 > 12.1995
PASSAT (88-97) Variant (3A5, 35I) - 1.8	90 ch	02.1988 > 05.1997

<b>VOLKSWAGEN</b>		
PASSAT (88-97) Variant (3A5, 35I) - 2.0	107 ch	03.1995 > 08.1996
	115 ch	02.1990 > 05.1997
	116 ch	10.1993 > 10.1996
POLO (97-02) Variant (6KV5) - 1.8	90 ch	05.1997 > 09.2001
SHARAN (95-10) (7M8, 7M9, 7M6) - 1.8 T 20V	150 ch	09.1997 >
SHARAN (95-10) (7M8, 7M9, 7M6) - 2.0	115 ch	09.1995 >
VENTO (92-99) (1H2) - 1.4	55 ch	11.1991 > 09.1998
	60 ch	11.1991 > 09.1998
VENTO (92-99) (1H2) - 1.6	75 ch	09.1992 > 09.1998
	101 ch	10.1994 > 09.1998
VENTO (92-99) (1H2) - 1.8	75 ch	11.1991 > 09.1998
	90 ch	11.1991 > 09.1998
VENTO (92-99) (1H2) - 2.0	115 ch	11.1991 > 09.1998
	116 ch	01.1992 > 08.1998

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.